

**IN THE CLAIMS:**

Please make the following amendments to the claims as noted.

1. (original) Spray apparatus for cleaning *inter alia* toilet bowls, the apparatus comprising a spray head connected through a water hose to a pressurised source of water, the spray head including a casing formed with an opening to receive one end of the water hose and an outlet nozzle from which water under pressure can leave the housing, and a hand operated valve for selectively enabling or preventing the flow of water through the outlet nozzle.

2. (original) Apparatus as claimed in claim 1 wherein the cross-sectional area of the outlet nozzle is substantially less than that of the hose and/or the opening in communication with the hose.

3. (original) Apparatus as claimed in claim 2 wherein the cross-sectional area of the outlet nozzle is less than one half that of the hose.

4. (currently amended) Apparatus as claimed in claim 1 ~~any one of the preceding claims~~ wherein the outlet nozzle comprises a single orifice.

5. (currently amended) Apparatus as claimed in claim 1 ~~any one of claims 1 to 3~~ wherein the outlet nozzle comprises a plurality of orifice.

6. (currently amended) Apparatus as claimed in claim 1 ~~any one of the preceding claims~~ wherein a chamber is housed within the casing to receive and retain cleansing medium.

7. (currently amended) Apparatus as claimed in claim 1 ~~any one of the preceding claims~~ wherein the valve is operated manually by a trigger mounted externally on the spray head casing.

8. (original) Apparatus as claimed in claim 7 wherein the valve is resiliently biased to its closed position.

9. (currently amended) Apparatus as claimed in claim 1 ~~any one of the preceding claims~~ wherein the water hose is flexible.

10. (original) Apparatus as claimed in claim 9 wherein the water hose is produced from plastics or rubber or a rubber-like material.

11. (currently amended) Apparatus as claimed in claim 9 ~~or claim 10~~ wherein the hose wall is reinforced with metallic wire or filaments.

12. (currently amended) Apparatus as claimed in claim 1 ~~any one of the preceding claims~~ wherein the spray head includes a removable cover to provide access to the chamber.

13. (currently amended) Apparatus as claimed in claim 1 ~~any one of the preceding claims~~ wherein the hose is connected to the head through a friction fit over a collar protruding from one side of the casing.

14. (currently amended) Apparatus as claimed in claim 1 ~~any one of the preceding claims~~ wherein the external surface of the hose is corrugated.

15. (currently amended) Apparatus as claimed in claim 1 ~~any one of the preceding claims~~ wherein the source of pressurised water comprises a pipe connected to a mains supply to a building.

16. (currently amended) Apparatus as claimed in claim 1 ~~any one of claims 1 to 14~~ wherein the pipe receives water from an elevated holding tank positioned within a building.

17. (currently amended) Apparatus as claimed in claim 1 ~~any one of the preceding claims~~ wherein the pipe receives water under pressure from an electrically or mechanically driven pump.

18. (currently amended) Apparatus as claimed in claim 1 ~~any one of the~~  
~~preceding claims~~ wherein the pipe comprises a water feed pipe for conveying water under  
pressure to a cistern of a toilet.

19. (cancelled)